

Vlakslijpmachines



KENT KGS 1532D

Machine occasion

N° de stock : **A3534-1**



Jaar	2006
Gewicht	32400

Computergestuurde regeling	Fanuc 21i-MB
Afmetingen tafel	3200x1500
Slag	3200x1700x700



3.1.0 Machine data

	2T 1604	2T 1611	2T 1602
Grinding area (mm)	3400 x 1800	3200 x 1600	4000 x 1800
Transverse motion (mm)	1500		
Longitudinal motion (mm)	2500	2000	3500
Distance from table to middle of spindle (mm)	1130		
Clearance between the columns (mm)	2000		
Magnetic chuck dimensions (mm)	2400 x 1500	3200 x 1500	4000 x 1500
Table load limit - magnetic chuck (kg)	5000		8000
Continuous feed longitudinal axis (mm/min)	5000 to 57000		
Continuous feed transverse axis (mm/min)	2500		
Continuous feed perpendicular axis (mm/min)	2000		
Grinding wheel dimensions (mm)	500 x 400 x 305.0		
Grinding spindle motor output (kW)	30		
Control range of the grinding spindle motor (rpm %)	5000 to 10000		
Machine weight (kg)	38000	38000	42000
Space requirement (mm) length	3600	17000	18000
Space requirement (mm) width	3000		
Space requirement (mm) height	9400		





