

CNC draaibanken



SCHAUBLIN 125 CCN R-T

Machine occasion

N° de stock : **DB3075**



CNC system	Fanuc 20-T
Jaar	1997

Max. toelaatbare diameter boven de rijtuigen	115
max. toegelaten diameter over het bed	270
Hoogte van de punten	125
Vermogen op hoofdspil	5.5 / 7.5
Spindelsnelheid	30-5000
Spildiameter	28
Max. draaicirkeldiameter	200
Dwarsverplaatsing	150
verschuiving draai tafel	325
Feeding speed	X/Z : 0-5
Snelle voedingssnelheden X- en Z-as (m/mn)	7.5
Aantal de revolver	1
Number of stations on turret 2	8
capacity of the tank	55
Formaten	1697x1236x1658
Gewicht	1415

Equipments:

- Oil mist vacuum cleaner Lufttechnik from 2004
- Pneumatic tailstock Mo3 operated with a pneumatic command, axial spindle stroke 70 mm. Adjustable pressure from 25 to 260 daN
- Marcel-Aubert Tool zero setting microscope
- Headstock (spindle) type D1-3
- Spindle nose adapter for OTTET collets
- RJ45 system for program backup
- Different B32 collets
- Drawbar with nuts for adaptation chucks from various makes and for HAINBUCH clamping
- Set of tool holders

Tooling system: Turret with fixed tools

- Set of tool holders
- Tool holder type VDI 20
- Maximum tool section 16×16 mm
- Integrated cooling system. Indexing in both directions





